



according to 1907/2006/EC, Article 31

Version number 27

Revision: 05.08.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1 Product identifier
- · Trade name: HILCHROME 309 Mo R
- · CAS Number: -
- · EINECS Number: -
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Shielded Metal Arc Welding Electrode The product is a manufactured article in the sense of Article 3 No. 3, 1907/2006/EC (REACh). The purpose of the present safety data sheet is therefore to provide instruction on safe usage of the product.
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
- Hilarius Haarlem Holland B.V.
- · Emrikweg 7
- · 2031 BT Haarlem
- · Tel.: +31 (0) 23 531 91 00
- www.hilco-welding.com
- info@hilco-welding.com

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008
 The Product does not meet the criteria for classification in any hazard class according to Regulation (EC) No
1272/2008 on classification, labelling and packaging of substances and mixtures.

- · 2.2 Label elements -
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

EU



according to 1907/2006/EC, Article 31

Version number 27

Revision: 05.08.2020

Trade name: HILCHROME 309 Mo R

(Contd. of page 1)

3.2 Chemical characterisation Description: Mixture of substance	es listed below with nonhazardous additions.	
Dangerous components:		
CAS: 7440-47-3 EINECS: 231-157-5 Reg.nr.: 01-2119485652-31-XXXX	chromium substance with a Community workplace exposure limit	12.5-25%
CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7 Reg.nr.: 01-2119438727-29-XXXX	nickel Carc. 2, H351; STOT RE 1, H372 Skin Sens. 1, H317	5-12.5%
CAS: 7439-96-5 EINECS: 231-105-1 Reg.nr.: 01-2119449803-34-XXXX	manganese substance with a Community workplace exposure limit	0.1-2.5%

SECTION 4: First aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Seek medical treatment.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- For deletion of fire just use dry powders. Don't use any water or halogenated containing extinguishing agents
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- **6.1** Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Use respiratory protective device against the effects of fumes/dust/aerosol.
- · 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- **6.4 Reference to other sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

```
Ēυ
```



according to 1907/2006/EC, Article 31

Version number 27

Revision: 05.08.2020

(Contd. of page 2)

Page 3/9

Trade name: HILCHROME 309 Mo R

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure that suitable extractors are available on processing machines
 • Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7440-47-3 chromium

IOELV Long-term value: 2 mg/m³

as Cr

7439-96-5 manganese

IOELV Long-term value: 0.2* 0.05** mg/m³ as Mn; *inhalable, **respirable fraction

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Filter P2
- Protection of hands:
- EN 12477

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties • General Information

· Appearance:

[•] Appearance.	
Form:	Solid
Colour:	According to product specification
· Odour:	Odourless
· Odour threshold:	Not determined.
· pH-value:	Not applicable.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Version number 27

Revision: 05.08.2020

Trade name: HILCHROME 309 Mo R

	(Cont	d. of page
Flash point:	Not applicable.	
Flammability (solid, gas):	Not determined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
water:	Insoluble.	
Partition coefficient: n-octanol/	water: Not determined.	
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions Attacks materials containing glass and silicate.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 5)

FU



according to 1907/2006/EC, Article 31

Version number 27

Revision: 05.08.2020

Trade name: HILCHROME 309 Mo R

(Contd. of page 4)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- **Recommendation** Must be specially treated adhering to official regulations.
- · European waste catalogue
- 12 01 13 welding wastes
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

Void Void Void
Void
Vo
Not applicable.
Not applicable.
Not dangerous according to the above specifications.
Void

(Contd. on page 6)





according to 1907/2006/EC, Article 31

Version number 27

Revision: 05.08.2020

Trade name: HILCHROME 309 Mo R

(Contd. of page 5)

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 27

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 27

Revision: 05.08.2020

Trade name: HILCHROME 309 Mo R

Conditions un Welding/Brazing produces fumes wi particles which, if inhaled or swall concentration of the fume and dura consumables being used, coatings activities. A systematic approach to I and ancillary worker that can be exp Considering the emission of fumes through applying general information Data Sheet, issued in accordance wi The employer shall ensure that the following principle shall be applied:	Exposure Scenarios, Risk Management Measures and to identify Operational der which metals, alloys and metallic articles may be safely welded ich can affect human health and the environment. Furmes are a varying mixture of airborne gases and fine owed, constitute a health hazard. The degree of risk will depend on the composition of the fume, ich of exposure. The fume composition is dependent upon the material being worked, the process and on the work such as paint, galvanizing or plating, oil or contaminants from cleaning and degreasing he assessment of exposure is necessary, taking into account the particular circumstances for the operator	
Recommendations for E Conditions un Welding/Brazing produces fumes wh particles which, if inhaled or swall concentration of the fume and dura consumables being used, coatings activities. A systematic approach to 1 and ancillary worker that can be exp Considering the emission of fumes 's through applying general information Data Sheet, issued in accordance wi The employer shall ensure that the following principle shall be applied:	Exposure Scenarios, Risk Management Measures and to identify Operational der which metals, alloys and metallic articles may be safely welded ich can affect human health and the environment. Fumes are a varying mixture of airborne gases and fine owed, constitute a health hazard. The degree of risk will depend on the composition of the fume, tion of exposure. The fume composition is dependent upon the material being worked, the process and on the work such as paint, galvanizing or plating, oil or contaminants from cleaning and degreasing he assessment of exposure is necessary, taking into account the particular circumstances for the operator osed. when welding, brazing or cutting of metals, it is recommended to (1) arrange risk management measures	
Conditions un Welding/Brazing produces fumes wi particles which, if inhaled or swall concentration of the fume and dura consumables being used, coatings activities. A systematic approach to I and ancillary worker that can be exp Considering the emission of fumes through applying general information Data Sheet, issued in accordance wi The employer shall ensure that the following principle shall be applied:	Ler which metals, alloys and metallic articles may be safely weided ich can affect human health and the environment. Furnes are a varying mixture of airborne gases and fine owed, constitute a health hazard. The degree of risk will depend on the composition of the furne, ich of exposure. The furne composition is dependent upon the material being worked, the process and on the work such as paint, galvanizing or plating, oil or contaminants from cleaning and degreasing he assessment of exposure is necessary, taking into account the particular circumstances for the operator osed. when welding, brazing or cutting of metals, it is recommended to (1) arrange risk management measures	
Conditions un Welding/Brazing produces fumes wi particles which, if inhaled or swall concentration of the fume and dura consumables being used, coatings activities. A systematic approach to I and ancillary worker that can be exp Considering the emission of fumes through applying general information Data Sheet, issued in accordance wi The employer shall ensure that the following principle shall be applied:	Ler which metals, alloys and metallic articles may be safely weided ich can affect human health and the environment. Furnes are a varying mixture of airborne gases and fine owed, constitute a health hazard. The degree of risk will depend on the composition of the furne, ich of exposure. The furne composition is dependent upon the material being worked, the process and on the work such as paint, galvanizing or plating, oil or contaminants from cleaning and degreasing he assessment of exposure is necessary, taking into account the particular circumstances for the operator osed. when welding, brazing or cutting of metals, it is recommended to (1) arrange risk management measures	
and ancillary worker that can be exp Considering the emission of fumes through applying general information Data Sheet, issued in accordance wi The employer shall ensure that the following principle shall be applied:	osed. when welding, brazing or cutting of metals, it is recommended to (1) arrange risk management measures	
through applying general information Data Sheet, issued in accordance wi The employer shall ensure that the following principle shall be applied:	when welding, brazing or cutting of metals, it is recommended to (1) arrange risk management measures	
following principle shall be applied:	th REACH, by the welding consumable manufacturer.	
	risk from welding fumes to the safety and health of workers is eliminated or reduced to a minimum. The naterial combinations with the lowest class, whenever possible.	
account after all other measure	west emission parameter. Aective measure in accordance with class number. In general, the use of PPE is taken into is applied.	
	tective equipment in accordance with the duty cycle.	
In addition, compliance with the Na verified.	tional Regulations regarding the exposure to welding fumes of welders and related personnel shall be	
	sures for individual process / material combinations" below, reference is made to the following standards	
for collective and personal protection ISO 4063 EN ISO 15012-1:2004	Welding process Reference Numbers according to ISO 4063 Health and safety in welding and allied processes - Requirements testing and marking of equipment	
EN ISO 15012-2:2008	or air filtration - Part 1: Testing of the separation efficiency for welding tume Health and safety in welding and allied processes - Requirements, testing and marking of equipment for air filtration - Part 2: Determination of the minimum air volume flow rate of captor hoods and nozzles	
EN 149:2001	Respiratory protective devices - Filtering half masks to protect against particles - Requirements, testing, marking (FFP1 - FFP2 - FFP3)	
EN 1835:2000	Respiratory protective devices. Light duty construction compressed air line breathing apparatus incorporating a helmet or a hood. Requirements, testing, marking (LDH1 - LDH2 - LDH3).	
EN 12941:1998	Respiratory protective devices. Powered filtering devices incorporating a helmet or a hood. Requirements, testing, marking (TH1 - TH2 - TH3).	
EN 143:2000 Directive 1998/24/EC	Respiratory protective devices — Particle filters — Requirements, testing, marking (P1, P2, P3) Article 6.2 on the protection of the health and safety of workers from the risks related to chemical	
BGR 190	agents at work Benutzung von Atemschutzgeräten (Berufsgenossenschaftliche Regel für Sicherheit und Gesundheit	
	bei der Arbeit)	
TRGS 528	Schweisstechnische Arbeiten (Technische Regeln für Gefahrstoffe)	
The description of these footnotes:	Measures for individual process / material combinations", reference is made to footnotes.	
² Identified collective and individua Personal Protective Equipment	itigate risk by selecting process/material combinations with the lowest value. I risk management measures shall be applied (PPE) required avoiding exceeding the National Exposure Limit Value (DC: Duty cycle expressed on 8	
 hours) ³ General Ventilation (GV) Low. V 	Vith additional Local Exhaust Ventilation (LEV) and extracted air to the outside, the GV or LEV capacity	
may be reduced to 1/5 of the orig General Ventilation (GV) Medium	ginal requirement. n (double compared to Low)	
 Filtrating half mask (FFP2) When an alloyed consumable is 	used, measures from "Class V" are required	
⁷ General Ventilation (GV) Low. W	hen no Local Exhaust Ventilation, the ventilation requirement is 5-fold et with powered filters (TH2/P2), or helmet with external air supply (LDH2)	
⁹ Reduced (negative) pressured A	rea: A separate, ventilated area where reduced (negative) pressure, compared to the surrounded area, is	
maintained Local Exhaust Ventilation (LEV)	High, extraction at source (includes table, hood, arm or torch extraction)	
¹² Local Exhaust Ventilation (LEV)	/P3), or helmet with external air supply (LDH3) Low, extraction at source (includes table, hood, arm or torch extraction)	
 Local Exhaust Ventilation (LEV) Recommended measures to corr 	Medium, extraction at source (includes table, hood, arm or torch extraction) nply with national maximum allowable limits. Extracted fumes, for all materials except unalloyed steel and	
aluminium, shall be filtered befor	e release in the outside environment. ne, is not necessarily small. Examples of confined spaces include ship, silos, vats, utility vaults, tanks, etc.	
16 Improved helmet, designed to av	oid direct flow of welding fumes inside	
n.a. Not applicable n.r. Not recommended		

(Contd. on page 8)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 27

Revision: 05.08.2020

(Contd. of page 7)

Trade name: HILCHROME 309 Mo R

Welding Exposure Scenario WES - ENGL

EWA2011

Risk Management Measures for individual process / base material combinations

Class	Process	Base Materials	Remarks	Ventilation / Extraction / Filtration ¹⁴	PPE ² DC<15%	PPE ² DC>15%
	(according to ISO 4063)	Materials		Extraction / Filtration	DC<15%	DC>15%
-	07.00		Non-confined sp	ace		
	GTAW 141					
	SAW 12	All	Europet Aluminium	GV low ³		
	Autogeneous 3	All	Except Aluminium	GV IOW	n.r.	n.r.
	PAW 15					
	ESW/EGW 72/73					
	Resistance 2					
	Stud welding 78					
	Solid state 521					
	Gases Brazing 9	All	Except Cd- alloys	GV low ³	n.r.	n.r.
11	GTAW 141	Aluminium	n.a.	GV medium ⁴	n.a.	FFP2®
111	MMAW 111	All	Except Be-, V- , Mn-,			
			Ni- alloys and			FFP2 ⁵
			Stainless ⁶	GV low ⁷	Improved	
	FCAW 136/137	All	Except Stainless and	LEV low ¹²	helmet ¹⁶	
		/	Ni- alloys 6			
	GMAW 131/135	All	Except Cu-, Be-, V-	-		
		7.41	allovs			
	Powder Plasma Arc 152	All	Except Be-, V-, Cu- ,	1		
	1 Owder Hushiu / Te 702	/ 41	Mn-, Ni-alloys and			
			Stainless 6			
IV	All processes class I	Painted /	No Pb containing	GV low ³		FFP3,
	Al processes class i	primed / oiled	primer	00104	FFP2 ⁵	TH2/P2.
	All processes class III	Painted /	No Pb containing	GV low ' LEV low ¹²		or LDH2 ⁸
	All processes class III	primed / oiled	primer			OF LOTIZ
v	MMAW 111	Stainless, Ni-,	n.a.	LEV high ¹⁰	TH3/P3.	TH3/P3,
v		Be-, and V-	n.a.	LEV nigh	LDH3 ¹¹	LDH3 ¹¹
		alloys			LDH3	
	FCAW 136/137	Stainless.	4			
	FCAVV 130/137	Mn- and Ni-				
	GMAW 131	alloys	4			
		Cu-alloys	4			
	Powder Plasma Arc 152	Stainless,				
		Mn-, Ni-, and				
		Cu- alloys		9		
VI	GMAW 131	Be-, and V-	n.a.	Reduced (negative) pressured area ⁹ LEV low ¹²	TH3/P3,	TH3/P3, LDH3 ¹¹
	Powder Plasma Arc 152	alloys		LEV low."	LDH3 ¹¹	LDH3.
VII	Self shielded FCAW 114	Un-, high	Cored wire, not	Reduced (negative) pressured area		
		alloyed steel	containing Ba	LEV medium ¹³		
	Self shielded FCAW 114	Un-, high	Cored wire.	Reduced (negative) pressured area	TH3/P3,	TH3/P3.
		alloyed steel	containing Ba	LEV high ¹⁰	LDH3 ¹¹	LDH3 ¹¹
	All	Painted /	Paint / Primer			
		primed	containing Pb			1
	Arc Gouging and	All	n.a.	1		1
	Cutting 8					1
	Thermal Spray	All	n.a.	1		1
	Gases Brazing 9	Cd- alloys	n.a.	1		1
	Gases blazing 3		lina. Closed system or Confi	ned space ¹⁵		
1	Laser Welding 52	All	Closed system	GV medium ⁴	n.a.	n.a.
	Laser Weiding 52 Laser Cutting 84	7.11	Ciosed system	Gv medium	n.a.	''.a.
						1
				1	1.000011	1.0.001
VIII	All	All	Confined space	LEV high ¹⁰ External air supply	LDH3 ¹¹	LDH31
						1

· Relevant phrases H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H372 Causes damage to organs through prolonged or repeated exposure.

(Contd. on page 9)

EU



Safety data sheet according to 1907/2006/EC, Article 31

Version number 27

Revision: 05.08.2020

Trade name: HILCHROME 309 Mo R

(Contd. of page 8)

 Abbreviations and acronyms: NCEC - National Chemical Emergency Centre (=Carechem24) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany) PBT: Persistent, Bioaccumulative and Toxic vPUB: very Persistent and very Bioaccumulative Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 * Data compared to the previous version altered. EU